



Zartek Torches and Spotlights

By Liquid Bullet

ZA-431

Specifications:

- LED Globe 3W CREE XBE 120 Lumens
- 2 Modes: High (5 hrs) / Low (20+ hrs)
- Shockproof and Rainproof IP66
- Tilt to Adjust Beam Direction
- Soft Pad for Comfortable Wearing
- Adjustable Flexible Strap
- Uses 3 x AAA Batteries (Included)
- Weight with Batteries: 100g
- 1 Year Limited Warranty



ZA-432

Specifications:

- Extreme Bright LED CREE T6 Globe
- Intensity 600 Lumen
- Rechargeable via Mains / Vehicle
- Extra Heavy-duty Aluminium Casing
- Magnifying Lens for Uniform Light Dispersion
- Focus Beam Flood to Spot
- Shockproof & Rainproof IP66
- Glowing Back Light
- Rubber Padded Battery Case
- Dimensions: Length 50 mm Head diameter 42mm
- Weight incl 2 x Li-ion Batteries: 250g
- Charging time: 5 hours
- 3 Modes of Operation: High Beam (6 hrs); Low Beam (16 hrs); Strobe (12 hrs)
- Rechargeable via Mains/Vehicle
- Li-ion Rechargeable Battery
- High Capacity Battery 2 x 2200mAh
- Plug-in Charging with Indicator
- Over 500 Recharge Cycles per Battery
- 1 Year Limited Warranty



ZA-436

Specifications:

- Extreme Bright LED CREE T6 Globe
- Extra Heavy-duty Aluminium Casing
- 3 Modes of Operation: High Beam (4 hrs); Medium Beam (8 hrs); Strobe (6 hrs)
- Dimmer Function (hold in to adjust)
- Durable Side Button
- Rechargeable via USB
- Li-ion Rechargeable Battery 18650
- Direct plug-in charging with indicator RED: Charging
- Charging time (1A): 4 hours
- Over 500 Recharge Cycles
- Tilt to Adjust Beam Direction
- Comfortable Wearing
- Adjustable Flexible Strap
- Shockproof and Rainproof IP66
- Weight including Batteries: 140g
- 1 Year Limited Warranty



ZA-485

Specifications:

- 5 x LED 3 Watt, Total 900 lumens
- Cast Aluminium Casing
- Polycarbonate Lens
- Operates from any 12V Vehicle Socket
- On / Off Switch on Abaptor Plug
- Shockproof & Rainproof IP67
- 3m Cable Included (when extended)
- Magnetic Mount with Rubber Pad
- Bolt for Fixing to Bull or Roof Bar
- Beam Angle 60
- Beam Distance 60m Flood
- Globe Lifespan 30 000 hrs
- Working Temperature -10 to 45°C
- Casing Temperature < 65°C
- Weight with Magnet: 800g
- Colour Temperature 3000 - 6500K
- Input Current 1A @ 12VDC
- Input Voltage DC 11 - 36V
- 1 Year Limited Warranty



ZA-480

Specifications:

- 9 x LED 3 Watt, Total 1600 lumens
- Cast Aluminium Casing
- Polycarbonate Lens
- Operates from any 12V Vehicle Socket
- On / Off Switch on Abaptor Plug
- Shockproof & Rainproof IP68
- 5m Cable Included
- Magnetic Mount with Rubber Pad
- Bolt for Fixing to Bull or Roof Bar
- Beam Angle 120°
- Beam Distance 100m Flood
- 170° Vertical Beam Adjust
- 360° Horizontal Beam Adjust
- Globe Lifespan 30 000 hrs
- Working Temperature -10 to 45°C
- Casing Temperature < 65°C
- Weight with Magnet: 630g
- Colour Temperature 3000K
- Input Current 1.5A @ 13.6V
- Input Voltage DC 11 - 36V
- 1 Year Limited Warranty



New

New

ZA-473

Specifications:

- LED Globe 500 Lumens
- Direct Power from 12 DV Vehicle Socket
- Long Cable of 3 meters
- Rubberised Lightweight Casing
- Pistol Grip with Trigger Switch
- Locking On / Off Button
- Beam Distance: 400m



ZA-472

Specifications:

- 3W Ultra Bright LED
- 160 Lumens
- Beam Distance: 200m
- Direct Power from 12 DV Vehicle Socket
- Long Cable of 3 meters
- Rubberised Lightweight Casing
- Pistol Grip with Trigger Switch
- Locking On / Off Button
- 1 Year Limited Warranty



ZA-477

Specifications:

- Extreme Bright LED CREE V5 globe 750 lumens
- Fully Rubberised Casing
- Rechargeable via Mains/Vehicle
- Detachable Red Lens
- Lightweight & Compact
- Shockproof & Splashproof IP66
- 3 Modes of Operation
- Foldable Stand
- Weight: 400g
- Charging Time 7 hours
- Direct Plug-in Charging with Indicator
- Li-ion Rechargeable Battery Pack
- Over 500 Recharge Cycles Possible



New

ZA-415

Specifications:

- Extreme Bright LED CREE T6 Globe 900 lm
- Extra Heavy-duty Aluminium Casing
- Direct plug-in (Unscrew middle ring)
- Rechargeable Li-ion Battery 18650
- USB Powerbank Function 2200mAH
- Shockproof and Rainproof
- Includes Belt Holster / Pouch
- 3 Modes: High, Medium, Flash
- Rechargeable via USB with indicator
- Battery Life Per Charge: High (2 hrs) ; Medium (8 hrs)
- Beam Distance: 350m
- Durable Tactical Button
- Charging time: 3 to 5 hours
- Over 500 Recharge Cycles per Battery
- 1 Year Limited Warranty



New

ZA-410

Specifications:

- Extreme Bright LED CREE T6 Globe 900 lm
- Extra Heavy-duty Aluminium Casing
- Direct plug-in (Unscrew middle ring)
- High Capacity Li-ion Battery 3200mAH
- USB Powerbank Function
- Shockproof and Rainproof
- Can be used as Baton
- Includes Belt Holster / Pouch
- 3 Modes: High, Medium, Flashing
- Durable Button
- Rechargeable via USB with indicator
- Battery Life Per Charge: High (4 hrs) ; Medium (10 hrs)
- Charging time: 3 to 6 hours
- Over 500 Recharge Cycles per Battery
- Weight including Battery: 400g
- Dimensions: 268mm x 43mm
- 1 Year Limited Warranty



New

ZA-411

Specifications:

- LED Globe XPE 3W 200 lumens
- Beam Distance: 200m
- Takes 3 x D size Batteries
- Durable Button
- Heavy-duty Aluminium Casing
- Shockproof and Rainproof
- Includes Belt Holster / Pouch
- 3 Modes: High, Medium, Flashing
- Length: 32cm ; Head Diameter: 5cm
- Weight with Batteries: 600g



ZA-457

Specifications:

- Extreme Bright LED CREE L2 Globe, 600 Lumen beam
- Extra Heavy-duty Aluminium Casing with belt clip
- Magnifying Lens for Uniform Light
- Focus Beam Flood to Spot
- Shockproof & Rainproof IP65
- 3 Modes of Operation: High Beam, Medium Beam, Strobe
- Tactical Back Durable Button
- Rechargeable via Mains/Vehicle
- Li-ion Rechargeable Battery 18650
- Charging time: 3 hours
- Direct Plug-in Charging with Indicator (4.2V)
- Over 500 Recharge Cycles per Battery
- Dimensions: Length 150mm, Head diameter 40mm, Shaft diameter 24mm
- Weight including Battery: 200g
- Charging time 3 hours
- Direct plug-in charging with indicator
- Over 500 recharge cycles possible



ZA-360

Specifications:

- Bright LED CREE 3W Globe, 150 Lumen
- Heavy-duty Aluminium Casing Side Windows to Disperse Light
- High Capacity Powerbank 2000mAh
- Shockproof & Splashproof IP64
- 3 Modes of Operation: High Beam 5 hrs, Low Beam 20 hrs, Strobe 10 hrs
- Beam Distance 200m (max)
- Charge time: 4 hours (RED charging, Blue full)
- Input: Micro USB 5V DC / 1A
- Output: USB 5V DC 1A
- Dimensions: Length 120mm, Width 25mm
- Built-in Lithium Polymer Battery
- Recharge cycles: 500 - 700 times
- Short-circuit & Over Current Protection
- Weight : 120g
- Reliable Performance & Simple to Use
- Easy to Recharge via USB Cable
- Safe and Robust Design
- 1 Year Limited Warranty



New

ZA-412

Specifications:

- Bright LED CREE XP-G Globe 300 lm
- Arc Plasma Lighter at Back
- Instantly Ignites Paper, Candle and more
- Extra Heavy-duty Aluminium Casing
- Recharging Li-ion Battery 18650
- Shockproof, Windproof and Rainproof
- Includes Belt Holster / Pouch
- 3 Beam Modes: High, Medium, Low
- Battery Life Per Charge: High (5 hrs) ; Medium (10 hrs) ; Low (20 hrs)
- Beam Distance: 100m
- Swivel Head to Safely Cover
- Lighter Button
- Plug-in USB Charging with Indicator
- Charging time: 3 to 5 hours
- Over 500 Recharge Cycles per Battery
- Dedicated Buttons: Torch & Lighter
- 1 Year Limited Warranty



Specifications:

- LED Globe 3W CREE XBE 100 Lumens
- Magnifying lens for Uniform Light
- Two Brightness Modes
- Beam Focus: Spot to Flood
- Tactical Back Durable Button
- Shockproof and Rainproof
- Heavy-duty Aluminium Casing
- Length 90mm
- Pocket Clip
- Uses 1 x AA Batteries (Included)
- Beam Distance: 100m
- 1 Year Limited Warranty

ZA-491



Specifications:

- Ultra Bright CREE XPG R2 LED Globe 220 Lm
- Magnifying Lens for Uniform Light
- Focus Beam Flood to Spot
- Aluminium Casing with Belt Clip
- Clear, Red, Green Interchangeable Lenses
- Store lenses in Back Cap
- Rechargeable via Mains or Vehicle
- Dimensions: Length 187 mm ; Head diameter 33mm ; Shaft diameter 28mm
- Weight with Battery: 222g
- Shockproof & Splashproof IP65
- Charging time 3-4 hours
- Direct plug-in charging with indicator
- Li-ion rechargeable battery
- Over 500 recharge cycles possible
- 1 Year Limited Warranty

ZA-452



ZA-458

Specifications:

- Extremely High Bright LED CREE T6 globe, 900 lumen
- Rechargeable via Mains / Vehicle
- Tactical Back Switch
- Dimensions: Length 160 mm, Head diameter 40 mm, Shaft diameter 28mm
- Weight with Battery: 240g
- High impact machined Aluminium Casing
- Charging time 3-4 hours
- Direct plug-in charging with indicator
- Li-ion rechargeable battery
- Over 500 recharge cycles possible



ZA-456

Specifications:

- LED Aluminium Torch
- 150 lumens
- USB Powerbank 2000mAH
- Rechargeable via USB



LM-514

Specifications:

- 4.2V small pin
- Can be used for Models:
 - ZA-452
 - ZA-485
 - ZA-432



ZA-478

Specifications:

- Extreme Bright LED CREE XHP 50 Globe
- LED Light 1200 lumens
- High Capacity Li-ion Battery 7.4V, 3Ah
- Fully Rubberised Casing
- Detachable Red Lens for Non-invasive Animals Viewing
- Lightweight & Compact
- Shockproof & Splashproof IP66
- 3 Modes of Operation: High 4.5 hrs ; Medium 9 hrs ; Strobe 8 hrs
- Quick Off Function
- Glass Repair
- Charging time: 4.5 hours
- Weight: 400g
- Foldable Stand
- Detachable Shoulder Strap
- Direct Plug-in Charging with Indicator
- Rechargeble via Mains 220V AC and Vehicle 12V DC
- Battery Life per Charge: High: 4.5 hrs ; Medium 9 hrs
- Effective Beam Distance: 600 meters
- 1 Year Warranty



New

ZA-479

Specifications:

- Extreme Bright LED CREE XHP 50 Globe
- LED Light 1800 lumens
- High Capacity Li-ion Battery 7.4V, 4.8Ah
- Over 500 Recharge Cycles Possible
- Fully Rubberised Durable Casing
- Larger Reflector
- Detachable Red Lens for Non-invasive Animals Viewing
- Lightweight & Compact
- Shockproof & Splashproof IP66
- 4 Modes of Operation: High 4.5 hrs ; Medium 10 hrs ; Low 40 hrs ; Strobe 9 hrs
- Quick Off Function
- Glass Repair
- Charging time: 5 hours
- Weight: 600g
- Foldable Stand
- Detachable Shoulder Strap
- Direct Plug-in Charging with Indicator
- Rechargeble via Mains 220V AC and Vehicle 12V DC
- Battery Life per Charge: High: 4.5 hrs ; Medium 9 hrs ; Low 40 hrs
- Effective Beam Distance: 700 meters
- 1 Year Warranty



ZA-467-F

Specifications:

- Extreme Bright 2200 Lumens
- 2 x CREE XHP 50 LED Globes 36W
- Beam Shape: Intense Centre, Wide Outer
- Built in Swivel Lens to Adjust Light: Clear
- Spot Beam or Flood Diffuser / Uniform
- High Impact Lightweight Casing
- Rechargeable via Mains / Vehicle (included)
- Swivel Handle to Adjust Holding Position
- Fold Out Table Stand
- Detachable Shoulder Strap Included
- Shockproof & Splashproof IP66
- 3 Modes of Operation: High (1 hr) ; Medium (2.5 hrs) ; Low (4 hrs)
- Trigger Button Lock
- Memory of Last Mode (hold in to turn OFF)
- Charging Time 4 Hours
- Rechargeable via USB (1A) 5 hours
- Battery Life per Charge: High (1 hr) ; Medium (2.5 hrs) ; Low (4 hrs)
- Effective Beam Distance: 800m
- Direct plug-in Charging with indicator
- Li-ion Rechargeable Battery 7.4V 2.2Ah
- Over 500 Recharge Cycles Possible
- Weight: 800g
- 1 Year Limited Warranty



ZA-465

Specifications:

- Extreme Bright 10W LED CREE T6 globe, 500 lumens
- High Impact Lightweight Casing
- Rechargeable via Mains/Vehicle
- Rubber Lens Protector
- Shockproof & Splashproof IP66
- 3 Modes of Operation
- Weight: 600g
- Charging Time 8-10 hours
- Direct Plug-in Charging with Indicator
- Li-ion Rechargeable Battery, 2600mAh
- Over 500 Recharge Cycles Possible



ZA-467-R

Specifications:

- Extreme Bright 2200 Lumens
- 2 x CREE XHP 50 LED Globes 36W
- Beam Shape: Intense Centre, Wide Outer
- Built in Swivel Lens to Adjust Light: Clear
- Spot Beam or Red Spot Beam
- High Impact Lightweight Casing
- Rechargeable via Mains / Vehicle (included)
- Swivel Handle to Adjust Holding Position
- Fold Out Table Stand
- Detachable Shoulder Strap Included
- Shockproof & Splashproof IP66
- 3 Modes of Operation: High (1 hr) ; Medium (2.5 hrs) ; Low (4 hrs)
- Trigger Button Lock
- Memory of Last Mode (hold in to turn OFF)
- Charging Time 4 Hours
- Rechargeable via USB (1A) 5 hours
- Battery Life per Charge: High (1 hr) ; Medium (2.5 hrs) ; Low (4 hrs)
- Effective Beam Distance: 800m
- Direct plug-in Charging with indicator
- Li-ion Rechargeable Battery 7.4V 2.2Ah
- Over 500 Recharge Cycles Possible
- Weight: 800g
- 1 Year Limited Warranty



ZA-462

Specifications:

- Bright 3W LED CREE globe, 180 lm
- 6 red LED as warning light
- High Impact Lightweight Casing
- Rechargeable via Mains/Vehicle
- Rubber Lens Protector
- Shockproof
- 4 Modes of Operation
- Weight: 375g
- 1 Year Limited Warranty
- Ideal for Security, Night Patrols, Perimeter Checking, Emergency Services, Mining, Industrial Inspections, Outdoor, Camping, Game Drives, Fishing, etc.
- Charging Time 4-6 hours
- Direct Plug-in Charging with Indicator
- Li-ion Rechargeable Battery, 1300mAh
- Over 500 Recharge Cycles Possible



LM-509

Specifications:

- Plug-in Charger 6V
- Can be used for Models:
 - ZA-464
 - ZA-465



REG-4.8V

Specifications:

- Spotlight Smart adaptor regulator 4.8V
- Must be used with LM-506 power supply
- Can be used for Models:
 - ZA-460



REG-3.6V

Specifications:

- Smart adaptor regulator 3.6V
- Must be used with LM-506 power supply
- Can be used for Models:
 - ZA-450-C



REG-3.6V

Specifications:

- Smart adaptor regulator 3.6V
- Must be used with LM-506 power supply
- Can be used for Models:
 - ZA-450-C



LM-506

Specifications:

- Mains Charging adaptor
- Can be used for:
 - Torch
 - Spotlight
 - Lantern



ZA-490

Specifications:

- Scorpion Detection
- Heavy-duty Aluminum Casing
- Ultraviolet Wavelength: 390 - 400 nm
- Leak Detection
- Glass Repair
- Reading Fluorescent Inks
- Antique Inspection
- Mineral Lighting and Identification
- 3 x AAA Batteries included in Flashlight
- Battery Life: 5 hrs
- Effective Beam Distance:
 - 10 meters



New

ZA-493

Specifications:

- Scorpion Detection
- Heavy-duty Aluminum Casing
- Ultraviolet Wavelength: 390 - 400 nm
- Dimensions: Height 55mm ; Width 145mm
- Weight: 260g
- Leak Detection
- Glass Repair
- Reading Fluorescent Inks
- Antique Inspection
- Mineral Lighting and Identification
- 3 x AAA Batteries included in Flashlight
- Battery Life: 8 hrs
- Effective Beam Distance: 50 meters



New

ZA-493

Specifications:

- Scorpion Detection
- Extra Heavy-duty Aluminum Casing
- Ultraviolet Wavelength: 390 - 400 nm
- Dimensions: Height 35mm ; Width 98mm
- Weight: 100g
- Leak Detection
- Glass Repair
- Antique Inspection
- Mineral Lighting and Identification
- 3 x AAA Batteries included in Flashlight
- Battery Life: 8 hrs
- Effective Beam Distance: 20 meters



ZA-455

Specifications:

- 12V rech.
- Mini LED Torch
- 35 lumens
- Magnetic Clip
- Available in Black and Red



GE-283

Specifications:

- Rechargeable Li-ion Battery 18650 3.7V
- Can be used for Models:
 - ZA-452
 - ZA-453
 - ZA-458
 - ZA-432
 - ZA-436



ZA-330

Specifications:

- USB Powerbank with LED Worklight
 - 4000mAH
 - 2 x USB
 - 250 Lumens



ZA-340

Specifications:

- SOLAR USB Powerbank with LED Worklight
 - 4000mAH
 - 2 x USB
 - 250 Lumens





Free State

Tel: +27 (0)51 401 3638
+27 (0)72 111 6888

Email: sales.bloem@@liquidbullet.net

Cape Town

Tel: +27 (0) 21 554 2505
Cel: +27 (0)82 611 0861

Email: billy@liquidbullet.net
manie@liquidbullet.net

Jason Keogh : Director - Johannesburg

Mobile: +27 82 559 6846

Office: +27 11 444 5201

Email: jason@liquidbullet.net

Johannesburg

Tel: +27 (0)11 444 5201
+27 (0)11 027 6354

Email: jason@liquidbullet.net
elias@liquidbullet.net

Eastern Cape

Tel: +27 (0)83 629 2551

Email: keith@securewise.co.za

Johannesburg

Office: +27 11 027 6354

admin@liquidbullet.net

sales@liquidbullet.net

